

Professional Design
Build And Install The Marine Elevator
Tailored To Meet Your Needs



**NICE Marine & Offshore
Lift Solutions Co., Ltd.**



www.nice-elevator.eu

Offshore Elevator Supplier Around You



Build And Install The Marine Elevator
**Professional
Design** Tailored To Meet Your Needs

PRODUCT INTRODUCTION

www.nice-elevator.eu



PRODUCT FEATURES

We provide comprehensive Dumbwaiter solutions to meet different requirements from Clients, and fully comply to rules, the benefits as follow,

- >> Module Construction Dumbwaiter, travelling quietly and stably
- >> Microcomputer control, more energy saving
- >> Less Interface with Bulkhead, Less Installation work on site.
- >> Intergrated desgin idea make the components compacted, need less space, Low vibration
- >> Safety Locks between car door and landing door keep the system as much safety as possible
- >> One direction Type, Angle Direction Type, Opposited Direction Type Standard Normal door, A0/A60 Fire proof door as option

PRODUCT SPECIFICATION

WWW.NICE-ELEVATOR.EU

SPECIFICATION

Name:	Dumbwaiter
Capacity:	100~500Kg
Travel Speed:	0.2~1M/s
Drive:	AC Traction Drive with Counterweight
Voltage:	220V/440V/690V,50/60Hz
Call panel:	Single botton, Collective botton
Truck:	Single side, Angle side, Opposite
Landing door:	Normal door, A0/A60 fire proof door as option



Call Panel



Door Locker



PARAMETER


www.nice-elevator.eu

FRAME MODEL DUMBWAITER

Model	Capacity	Type	Power(KW)	Car(mm)			Trunk(mm)		Overhead Height	Pit Depth (mm)
				Wide	Depth	Height	Wide	Depth		
NCW0.4m/s-100kg	100	Window	1.1	600	600	800	1150	900	2800	750
NCW0.4m/s-100kg	100		1.1	700	700	800	1250	1000	2800	750
NCW0.4m/s-200kg	200		1.5	800	800	800	1350	1100	2800	750
NCF0.4m/s-200kg	200	Floor	1.5	900	900	1000	1450	1200	2800	750
NCF0.4m/s-200kg	200		1.5	1000	1000	1000	1550	1300	2800	750
NCF0.4m/s-250kg	250		2.2	1000	1000	1200	1550	1300	3200	900
NCF0.4m/s-300kg	300		3.5	1000	1000	1200	1800	1300	3600	900

Note: 1、 The Travel Speed can be adjusted between 0.2m/s to 1m/s according to requirement

2、 Non Standard Dumbwaiter can be designed according to requirement, Such as Angle door type, opposited door type, and Small Trunk.



SERVICE

www.nice-elevator.eu

YOU CAN CONTACT US ALL OVER THE WORLD

USA:



Company : American Custom Lifts

Address : 718 SUTTER ST. SUITE 208 FOLSOM, CA 95630

Mail : Service@nice-elevator.com

Brazil:



Company : Arena View Empreendimentos Turísticos Ltda

Address : AV. SENADOR SALGADO FILHO, 1906 - NATAL/RN BRAZIL

Mail : Service@nice-elevator.com

Singapore:



Company : Gylet Elevator Co.Pte.

Address : 37 LOYANG DRIVE, SINGAPORE 508950

Mail : Service@nice-elevator.com

Hongkong:



Company : NICE Marine& offshore Lift solutions (HK) Co.,Ltd

Address : BLK A 11/F WAH HINGIND BLOG 2 - 6 MA KOK ST, TSUEN WAN N.T.H.K

Mail : Service@nice-elevator.com

UK:



Company : NICE Marine & Offshore Lift solutions Co.,Ltd

Address : 75 WESTMORELAND AVENUE, WELLING, LONDON, ENGLAND,UK

Mail : Service@nice-elevator.com

Holland:



Company : Lift Emotion Offshore&Industry B.V.

Address : RABROEKENWEG 49 7942 LC MEPEL, THE NETHERLANDS

Mail : Service@nice-elevator.com



**Offshore Elevator
Supplier Around You**



NICE Marine & Offshore Lift Solutions Co., Ltd.

Tel: 00 44 2037 697356

Fax: 00 44 7005 801080

E-mail: Sales@nice-elevator.eu

Address: 75 WESTMORELAND AVENUE, WELLING, London, England, UK